

Republic of the Philippines

Cordillera Administrative Region Provincial Local Government Unit of Ifugao

BIDS AND AWARDS COMMITTEE

3rd Floor PEO Bldg., Capitol Compound Lagawe, Ifugao

Email Ad.: bacgoodsifugao13@gmail.com



INVITATION TO BID

Publication No. 34-2023-G (First Publication)

For Medical Equipment

- 1. The Provincial Government of Ifugao, through the General Fund intends to apply the sum of One Million Two Hundred Fifteen Thousand Six Hundred Sixty-Five Pesos only (PhP1,215,665.00) being the ABC to payments under the contract for Publication No. 34-2023-G. Bids received in excess of the ABC shall be automatically rejected at bid opening. (Please see attached "ANNEX 1" for theitem/s to be bidded).
- 2. The **Provincial Government of Ifugao** now invites bids for the above Procurement Project. Delivery of the Goods is required **within thirty (30) calendar days from receipt by the winning bidder of the Purchase Order**. Bidders should have completed, within **the last five (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from the Bids and Awards Committee (BAC) of the Provincial Government of Ifugao and inspect the Bidding Documents at the address given below during 8:00 o'clock AM to 5:00 o'clock PM.
- 5. A complete set of **Bidding Documents** may be purchased by interested Bidders at the Bids and Awards Committee Office, 3rd Floor, PEO Bldg., Capitol, Lagawe, Ifugao on

<u>June 29, 2023 to July 20, 2023</u> upon presenting a proof of payment in person, of a non-refundable bidding fee of **Five Thousand Pesos** (**PhP5,000.00**).

- 6. The Bids and Awards Committee (BAC) of the Provincial Government of Ifugao will hold a Pre-Bid Conference on <u>July 06, 2023 at 01:30 P.M.</u> at the Bids and Awards Committee Office, 3rd Floor, PEO Bldg., Capitol, Lagawe, Ifugao, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the Bids and Awards Committee Office, 3rd Floor, PEO Bldg., Capitol, Lagawe, Ifugao on or before <u>01:30 P.M. basing on the BAC OFFICE Wall Clock of July 20, 2023</u>. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid Opening shall be on <u>July 20, 2023 at 02:00</u> in the afternoon at the address stated above. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **Provincial Government of Ifugao** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

The Secretariat on Goods Bids and Awards Committee bacgoodsifugao13@gmail.com 0965-407-3198

Date of Posting: June 29, 2023

BAC Chairperson

"ANNEX 1"					
ITEM No.	Item Description	QTY.	Unit of issue	Unit Cost	Total Cost
	VIII. MEDICAL EQUIPMENT				
	BLOOD PRESSURE MONITOR				
1	Blood pressure apparatus, an eroid, table top/desk top, ADULT, w/ best quality stethoscope apparatus	3	set		
2	Blood pressure,aneroid,table top/desk top,PEDIA,w/ best quality stethoscope	1	set		
3	Blood pressure apparatus, DIGITAL, arm	5	set		
	CARTS & TROLLEYS				
4	ER / Emergency Stretcher,Provided with bumper Railing, IV hook,Mattress,Shelf below with Oxygen holder 5" mounted wheel caster,Size: H: 32" x L: 74" x W: 24"	1	unit		
5	Stretcher, wheeled, with railing, IV hook and mattress, heavy duty cariage mounted on 4 swivel castors, designed for patient transport, carry 150-200 kgs.	1	unit		
6	Spine board, plastic w/ straps designed to provide rigid support during movement of an adult person with suspected spinal or limb injuries	1	unit		
7	WHEELCHAIR, BARRIATIC, S	1	unit		
	Steel light weight chair frame				
	22"seat width, Fix armrest. With flip-up footrest, Manual wheelchair				
	Padded armrests for additional comfort and safety				
	This transport wheelchair is the ideal for airports and shopping malls.				
	Overall width 73cm				
	Seat width 51cm				
	Rearwheel diameter 62cm				
	Frontwheel diameter 20cm				
	Seat height 50cm				
	Overall height 91cm				
	Loading capacity 125kgs				
	Measurement 80x28x91cm				
8	Hospital Bed 2 Cranks (Heavy duty)	3	unit		
	IMPORTED, w/ foam, Double Protection Screw System				
	P.P Head and Foot Board, Punching Hole type Board, high quality steel, Alluminum Guardrail with I.V Pool				
	High Quality Silence castor System, Overbed table				
	Size: 2,120 x 970 x 460mm				
	WEIGHING SCALES				
9	Weighing Scale, Infant, Mechanical, carry up to 25 kgsl	1	unit		
10	Weighing Scale with Height & Weight, mechanical, adult, carry 150-200kgs	1	unit		
	X. OTHER SUPPLIES AND EQUIPMENT NOT INCLUDED ABOVE				
11	IV Stand	10	unit		

	4 hooks (plastic base) chrome plated steel			
	tubing offers a round surface- no corners to collect dirt and grime			
	well-balanced, stable no-tip cast aluminum base, easy rolling wheel ball bearing nylon casters			
	height range 52.5"-94", twist lock for easy height adjustment, 4 hooks, 5 wheels			
12	Vaccine Refrigerator	1	unit	
	net capacity, 1981-2022 (7.0-7.5 cu ft.)			
	Net wt 40-45 kg.			
	prod dimension: 545-550 x D 625-650 x H 1.216-1250mm, energy, (EEF) 500-800			
13	AMPULE OPENER with DIAMOND FILE	1	set	
	*for one handed operation			
	*plastic housing			
	*removable ampule collector			
	*includes mounting kit			
14	ECG machine	1	set	
	*Lead: standard 12 leads			
	*Lead acquisition:synchronously 12 leads			
	acquisition			
	*work mode:manual/auto/rhythm/exam			
	*filter: AC filter-50Hz-60Hz			
	-EMG filter-25Hz-45Hz			
	-Anti-drift filter-0.15-0.20Hz			
	*input circuit:Floating-protection against			
	defibrillator effect			
	*input impedance:>50MΩ-60MΩ *input circuit current:≤0.05μA-0.10μA			
	*patient current leakage:<10-15µA			
	*recording paper:80mm width x 20m length			
	*display:7-10 inches color LCD			
	*Internal memory:400 patient cases storage			
	*communication port:USB,UART *power supply: AC 75-265 V(±10%),50-			
	60Hz,60VA			
	*DC rechargeable li-on battery,14.4V,2200- 4400mAh			
	*12-23 channels			
15	TABLE TOP CENTRIFUGE	1	set	
	- maximum speed(rpm):3400-3500Hz			
	- timer(min.):0-30minutes digital timer			
	-digital display for speed & R.C.F.			
	-motor:brushless DC			
	-ASB outer shell that can resist collision			
	-with safety switch,automatic brake system			
	-auto balancing system that can offer quiet and stable operations			
	-ISO certified			
	-set time and speed easily			
	- 12-24 placer			
16	DIGITAL MICRO CENTRIFUGE	1	set	
10	-sturdy and durable metal housing	'	361	
	-auto balancing system that can extend motor			
	life and reduce noise			

	-w/ safety interlock				
	-LED digital display for time and speed				
	-automatic brake system				
	-ISO CERTIFIED				
	-UNIVERSAL MOTOR				
	-0-15 minutes DIGITAL TIMER				
	- 12-24 placer				
17	CAUTERY MACHINE	1			
	-high frequency electrosurgical equipment w/c				
	is suitable for light & medium surgery -maximum output power for:				
	*CUT- 120W-250Ω				
	*BLEND-90W-200Ω				
	*FORCED COAG-80W-150Ω				
	*SOFT COAG-60W-100Ω				
	*BIPOLAR-40W-100Ω				
	-working frequency:600-700KHz				
	-input voltage:115-230Vac				
	-main frequency-50-60Hz				
	-electrical input power:300-400VA				
	-w/patient/plate circuit monitoring				
	-w/ output power monitoring				
40	-w/ self-check control				
18	LAPARATOMY SURGICAL set w/ TRAY	1	set		
	-1 pc 6" steel ruler				
	-2 pc. scalpel handle,#3 S/S,standard length				
	-2pc. scalpel handle,#4 S/S standard length				
	-2pc. Yankauer Suction Tube,S/S,standard length				
	-2pc. Operating Scissors Straight,golden arm Sharp/Blunt, 5 ½"				
	-2pc Operating Scissors Curved,golden arm Sharp/Blunt,2 5 ½"				
	-1pc. Mayo Dissecting Scissors, Straight, 5 ½", golden arm				
	-1pc. Mayo Dissecting Scissors,curved,5 ½", golden arm				
	-3pc. Hartmann Mosquito Forceps Straight Serrated, 3 ½",golden arm				
	-3pc. Hartmann Mosquito Forceps curved Serrated, 3 ½",golden arm				
	-6pc. Halsted Mosquito Forceps Straight Serrated, 5",golden arm				
	-6pc. Halsted Mosquito Forceps curved Serrated, 5",golden arm				
	-6pc. Rochester-pean Forceps, Curved, 6 1/4", golden arm				
	-3pc. Rochester-pean Forceps Curved, 8" ,golden arm				
	-6pc. Rochester-pean Forceps Straight, 6 ¼",golden arm				
	-3pcRochester-pean Forceps Straight, 8",golden arm				
	-2pc. Rochester Ochsner Forceps Straight 1x2, 6 1/4", golden arm				
	-2pc. Rochester Ochsner Forceps Curved 1x2, 6 ¼" ,golden arm				
	-12pc. Crile Forceps, Curved German S/S , 5 ½" ,golden arm				

-12pc. Crile Forceps, Straight German S/S,	. 1	1
5 ½", golden arm		
-3pc.Rochester Ochsner Forceps,Straight 1x2,5 1/4",golden arm		
-3pc. Rochester Ochsner ForcepsCurved 1x2, 5 ½" ,golden arm		
-2pc. Dressing Forceps,Serrated,5 ½"		
-2pc.Dressing Forceps Serrated,8"		
-3pc. Tissue Forceps 1x2,5 ½'		
-1pc. Tissue Forceps 1x2,8"		
-2pc.Russian Tissue Forceps 1x2,8"		
-2pc Mayo Hegar Needle holders		
Serrated TC, 6",golden arm		
-2pc.Mayo Hegar Needle holders,Serrated TC,7" ,golden arm		
-1pc. Metzenbaum Lahey Scissors.Delicate Curved, 5 3/4"		
-1pc.Metzenbaum Lahey Scissors,Delicate Curved, 7"		
-1pc.Stevens Tenotomy Delicate Curved, 4 1/2"		
-3pc.Rochester Pean Forceps,Straight Delicate. 5 ½"		
-3pc.Rochester Pean Forceps,Curved Delicate,5 1/2"		
-1pc.Semkin Dressing Forceps,Narrow Serrated,5"		
-1pc.Semkin Tissue Forceps Narrow 1x2, 5" ,golden arm		
-3pc.Babcock Forceps S/S, 5 ½"		
-3pc.Allis Tissue Forceps Delicate 4x5,5 ½"		
-1pc.Yankauer Suction Tube		
Pediatric,Standard length -1pc.Miller Senn Retractor		
SharpDouble/Ended 6"		
-1pc.Miller Senn Retractor Blunt Double/Ended 6"		
-2pc. Probe Double Ended, 6"		
-2pc. Probe With Eye 6"		
-2pc.Babcock Forceps S/S ,6 1/4		
-2pc.Babcock Forceps S/S,8"		
-3pc.Allis Tissue Forceps 4x5, 6"		
-3pc.Allis Tissue.Forceps 5x6,7 ½"		
-2pc.Adson Brown Tissue Forceps.Sd Grasping, 4 3/4"		
-1pc. Adson Tissue Forceps,1x2 Delicate,4 3/4"		
-1pc.Adson Dressing Forceps Delicate,4 3/4"		
-12pc.Backhaus Towel ClampS/S ,5 1/4"		
-1pc.MetzenbaumNelson Scissors Curved,9",golden arm		
 -2pc.Gemini Clamp Delicate Angled,8"		
 -2pc.Us Army Retractor Set/2 Double/Ended 8 1/4"		
-1pc. Parker Retractor Double Ended Set/2 ,5/8x5		
-1pc.Richardson RetractorW/grip Handle,Standard length		
-1pc. Richardsoneastman Retractor Set/2, 3 ½" X 1 ½"		
-2pc. Deaver Grip Handle #2,1"x 13"		
-2pc.Deaver Grip Handle#0, 1x9		

			1	TOTAL	1,215,665.0
	Nothing Follows				
	specs. touch screen with size 2 sensor USB digital Intraoral dentist, output power X-ray unit: 80w size of sensor: Eco size 1 - 26.5-32mm				
21	Portable Dental X-ray, Machine	1	unit		
	INCLUDES: 2 HIGH-SPEED HAND PIECE CONNECTORS, air & water syringe/ 3 way syringe, saliva ejector, saliva bottle, water bottle				
	BUILT IN COMPRESSOR, SILENT TYPE				
	G-12 PORTABLE DENTAL UNIT WITH BUILT-IN COMPRESSOR TROLLEY TYPE				
20	Portable Dental Unit	1	unit		
	Test reagents: room temperature storage, suitable for whole blood, serum, plasma and urine				
	Test Channel: Multiple testing modes available, unique quick mode for large number of samples				
	Large display: 8* LCD Touch Screen, Intuitive user interface				
	built in Thermal Printer	<u> </u>			
	weight: 2.6-2.8kg, ID chip inlet- automatically reading of batch number and calibration information in the ID chip				
	FIA Meter Plus- FS-113, Dimension 250-270 x 220-238 x 140-146mm				
19	Meter plus analyzer machine	1	unit		
	-2pc. Foerster SpongeForceps Serrated Curved ,9 ½"				
	-2pc.Foerster Sponge Forceps Serrated Straight,9 ½"				
	-2pc.MetzenbaumScissors Curved,7"				
	Serrated,7" -2pc.Schnidt Tonsil Forceps Half Curved,7 ½"				
	Blade,7" -2pc.Ballenger Sponge ForcepsStraight				
	-2pc.Zalkind Ribbon Retractor German S/S, 1 ½" x13" -1pc. Balfour Abdominal Retractor Fenster				
	-2pcZalkind Ribbon Retractor German S/S,1x13"				
	-3pc.Zalkind Ribbon Retractor German S/S, 3/4"x7.75				
	-1pc.Zalkind Ribbon Retractor German S/S, 1/2" x 7.75"				
	-2pc.Deaver Grip Handle#4,2x12				